

Tectonic control on the evolution of southwest Iberian basins: the mirror-like Alentejo and Algarve Basins

Pimentel, N. & Pena dos Reis, R.

- (1) Centro de Geologia, Lisbon University. Pimentel@fc.ul.pt
(2) Centro de Geociências, Coimbra University. PenaReis@dct.uc.pt

The Western Iberian Margin (WIM) is considered to be related to the North Atlantic opening, which started to produce seafloor spreading in Lower Cretaceous times (Pena dos Reis *et al.*, 2009). The separation between Iberia and North America followed an approximate E-W trajectory, as it may be seen from post-Lower Cretaceous magnetic anomalies distribution. This configuration is well established for the Lusitanian Basin (LB, Central Western Portugal) and the Alentejo Basin (ATB, Southwestern Portugal) but is more questionable for the Algarve Basin (AGB, Southern Portugal).

At the present, the AGB outcrops along a broadly E-W oriented monocline, facing southwards to the N-African continent, giving a first impression of an orthogonal orientation regarding the LB and ATB Atlantic opening. However, the analysis of its regional characteristics, including its predominantly off-shore areas, shows clear NNE-SSW trends, not far from the NNE-SSW trends of the ATB. These AGB trends are also quite visible in regional thicknesses variations, with elongated up-lifted basement blocks and elongated depocenters, present in different geological times, since the Upper Triassic until the Cretaceous (Matias, 2007). On-shore studies of facies distribution and paleocurrents also underline this regional Mesozoic trend.

This broadly parallel configuration of the Alentejo and Algarve basins corresponds in fact more to a “mirror configuration”, with the ATB showing NNE-SSW lystric faulting, opening and growing and deepening towards WNW (Pereira & Alves, 2011), whereas in the AGB the same structural direction promotes deepening and opening towards ESE (Matias, 2007). These two mirror-basins are separated by the Sagres Spur, which corresponds to an uplifted block related with the NE-SW Messejana-Plasencia Fault Zone (MPFZ), a very important tardi-variscan structure with crustal expression and Mesozoic magmatism.

In both basins, there are clear evidences of important geodynamic gradients, with increased stretching towards the outer areas. At the ATB this resulted from the North-Atlantic opening to the W, with Jurassic syn-rift units (Pereira & Alves, 2011), whereas at the AGB this resulted mainly from the Western Tethys rifting to the South (Matias, 2007).

In both basins Late Cretaceous and Tertiary evolution has been controlled by the same alpine (Betic) compressive episodes and orientations, related to the African plate collision with the Iberian micro-plate and consequent Gulf of Cadiz allochthonous emplacement. In both basins the Mesozoic infill controlling faults have been inverted, affecting also the Tertiary sedimentary cover.

As a conclusion, it may be stated that the Alentejo and the Algarve Basins share the same late-variscan oriented heritage, developing in Upper Triassic to Upper Jurassic times mirror-like geometries, on opposite sides of the Sagres Spur, related with NE-SW lystric faults. However, their Cretaceous evolution is quite different from each other, with continued rifting stretching in the ALB outer areas and an abandoned rift-margin in the AGB.

References

- Matias, H. 2007. *Hydrocarbon potential of the off-shore Algarve Basin*. PhD Thesis, Universidade de Lisboa, 297 pp. (unpubl.)
- Pena dos Reis, R., Pimentel, N. & Garcia, A. 2009. The Evolution of the Atlantic Margin of Iberia as recorded in the Lusitanian Basin (Portugal). *AAPG ICE Abstracts*, Rio de Janeiro (Brazil). <http://www.searchanddiscovery.net/abstracts/html/2009/intl/abstracts/reis2.htm>.
- Pereira, R. & Alves, T. 2011. Margin segmentation prior to continental break-up: A seismic-stratigraphic record of multiphased rifting in the North Atlantic (Southwest Iberia). *Tectonophysics*, 505 (1-4), 17-34.




Fig. 1 – Location of the Alentejo and Algarve Basins in Southwestern Iberia. The green lines show the position of interpreted seismic lines used to compose the sketch of Fig.3: Lines 1 and 2 = Fig.12 and Fig. 8 in Pereira & Alves (2011); Line 3 = Fig. 6.5 in Matias (2007).

Fig. 2 – Tectonic framework of the Alentejo Basin (ATB) and Algarve Basin (AGB) in Southwestern Iberia, with the mains faults underlined in red (adapt. from Carta Geológica de Portugal, 1:1.000000), MPFZ – Messejana-Placencia Fault Zone; SC – Santiago do Cacém.

Fig. 3 – Sketch of the basement structures and Meso-Cenozoic infill of the Alentejo Basin (ALB) and Algarve Basin (AGB), based on the composition of three interpreted seismic lines (vd. Fig. 1 for location). GB – Guadalquivir Bank.